

LabelWorks LW-1000P



This label maker allows you to create and print labels easily, as you can print from your computer or directly from an iOS or Android device. Featuring fast 35mm/sec print speeds, multiple connectivity options and a top-loading tape feed, this professional label maker will be great addition to your workplace.

Widest range of connectivity

You can print from your computer, or download the free Epson iLabel app¹ to create and print labels from your iOS or Android device. You can also connect to the LW-1000P without the need for a router, thanks to the wireless device-to-device connectivity – perfect for use with your smart device or if a LAN is unavailable. It can also be used over the LAN as it has Ethernet and Wi-Fi connectivity too.

Smart device label maker

With its flexible connectivity options, you can either print from your computer, or download the free Epson iLabel app to create and print custom labels directly from your iOS or Android device.

Fast, productive printing

Boasting print speeds of up to 35mm/sec and a 360dpi print quality, this is Epson's fastest LabelWorks model and ideal for printing multiple labels. The integrated trim cutter can round label edges, which helps reduce peeling once labels are attached, while the top-loading tape feed helps make operating the LW-1000P so easy. And it can print on labels up to 36mm in width.

Save money

To get you started, the LW-1000P comes with one nine-metre tape to create black text on a white background. The large variety of tapes available to buy (including Epson's new glow-in-the-dark, reflective and iron on tapes) ensure you are able to select the ideal tape for your particular task.

Mains powered

It comes with an AC adapter.

DATASHEET



KEY FEATURES

- **User flexibility**
A wide range of connectivity options
- **Productive**
Fast print speeds of up to 35mm/sec
- **Choice of label widths**
Prints label widths of up to 36mm-wide
- **Versatile**
Comes with the Epson iLabel app
- **Value-for-money**
Long tapes up to 9m, small left/right label margins

PRODUCT SPECIFICATIONS

PRINTING

Tape width	6 mm, 9 mm, 12 mm, 18 mm, 24 mm, 36 mm
Printing resolution	360 dpi
Printable Dot Numbers	384 dot numbers
Print height	27 mm
Print speed	35 mm/sec
Printing technology	Thermal transfer
Number of printable lines	custom
Maximum text length	custom
Multi-block	custom

PRINT SETTINGS

Auto increment	Yes, 0-9, a-z, A-Z, Alphabetic, Numerical, Date, Time
Mirror printing	Yes
Vertical printing	Yes
Barcodes	Code 128, Code 39, Data Matrix, EAN-128, EAN-13, EAN-8, GS1-128, GS1-DataBar, ITF, MaxiCode, PDF417, QR Code, UPC-A, UPC-E
Wire wrap	Yes
Flag	Yes
Margin setting - Label Editor	1mm, Fixed, Manual, Auto
Setting Area	Custom
Repeat printing	1 - 999 Unlimited
Enlargement printing	No
Fixed Length	Yes

FONTS & STYLES

Fonts	Depending on user's PC
Font Size	custom
Frames	86 Frames
Tables	8 Tables
Style	Bold, Bold & Italic, Bold & Italic & Outline, Bold & Italic & Shadow, Bold & Outline, Bold & Shadow, Double line strikethrough, Italic, Italic & Outline, Italic & Shadow, Normal, Outline, Reverse video, Shadow, Shadow & Outline, Shadow & Outline & Italic, Strikethrough, Underline
Layout Alignment	Left, Right, Center, Manual, Justified
Character spacing	custom
Character width	custom

MEMORY

Symbols	466
Memory file (saved labels)	Depending on user's PC / 800 templates available
Memory alphanumeric	Depending on user's PC
Accent learning	n/a
Last label	View history, Browse

HARDWARE

Cutter	Auto, Half, Trim
Detection	Cover open, Tape end, Tape width
Handle	No
Strap hole	Yes
Power lamp	Yes
Half cut lamp	No
Feed button	Yes

OTHER FUNCTIONS

Clock	Yes
Auto power off	Yes
Software reset	Yes
Unit switch	mm/inch

GENERAL

Energy Use	29 W (printing), 3,8 W (Ready), 0,23 W (Power off)
Energy Star	Yes
AC-Adapter	Yes
Low battery indicator	Yes
Product dimensions	123 x 153 x 139 mm (Width x Depth x Height)
Product weight	1.050 g, without tape & batteries
Colour	Green, Pale Grey

CONNECTIVITY

Interfaces	USB 2.0 Type B, Ethernet interface (100 Base-TX / 10 Base-T), WLAN, Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 1.1 Type A (optional), USB 2.0 Type A (optional)
Compatible Operating Systems	Android 2.3+, Mac OS 10.6+, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows Vista, Windows Vista x64, Windows XP, Windows XP x64, iOS 5.0+, iOS 6.0+
System requirements	Approx. 100 MB HDD space

LabelWorks LW-1000P

WHAT'S IN THE BOX

- 1 x 9m Tape
- CD Manual
- Driver and utilities (CD)
- Epson Label Editor (CD-ROM)
- Installation/safety manual
- Main unit
- Power cable
- Supplies Catalogue
- USB cable
- User manual (CD)
- Warranty Documents
- Wi-Fi/network setup guide

1. Download Epson iLabel app available from the Apple App Store and Google Play

EPSON[®]

SUPPORTED CONSUMABLES

Tape Width	Tape Series	Tape & Text (Ink Ribbon) Colour	Customer Code
6 mm	Standard	Abc 123	LC-2WBN9
6 mm	Pastel color	Abc 123	LC-2YBP9
6 mm	Transparent	Abc 123	LC-2TBN9
6 mm	Pastel color	Abc 123	LC-2RBP9
9 mm	Transparent	Abc 123	LC-3TBN9
9 mm	Strong adhesive	Abc 123	LC-3TBW9
9 mm	Standard	Abc 123	LC-3WBN9
9 mm	Pastel color	Abc 123	LC-3RBP9
9 mm	Strong adhesive	Abc 123	LC-3YBW9
9 mm	Pastel color	Abc 123	LC-3YBP9
9 mm	Strong adhesive	Abc 123	LC-3WBW9
9 mm	Standard	Abc 123	LC-3WRN9
12 mm	Transparent	Abc 123	LC-4TWN9
12 mm	Strong adhesive	Abc 123	LC-4WBW9
12 mm	Pastel color	Abc 123	LC-4YBP9
12 mm	Fluorescent	Abc 123	LC-4GBF9
12 mm	Vivid	Abc 123	LC-4BWW9
12 mm	Metallic color	Abc 123	LC-4KBM9
12 mm	Fluorescent	Abc 123	LC-4YBF9
12 mm	Strong adhesive	Abc 123	LC-4YBW9
12 mm	Standard	Abc 123	LC-4WRN9
12 mm	Strong adhesive	Abc 123	LC-4TBW9
12 mm	Transparent	Abc 123	LC-4TBN9
12 mm	Matte	Abc 123	LC-4SBE9
12 mm	Pastel color	Abc 123	LC-4RBP9
12 mm	Metallic color	Abc 123	LC-4SBM9
12 mm	Standard	Abc 123	LC-4WLN9
12 mm	Heat Resistant	Abc 123	LC-4WBH2
12 mm	Matte paper	Abc 123	LC-4WBB9
12 mm	Iron-on	Abc 123	LC-4WBQ5
12 mm	Standard	Abc 123	LC-4WBN9
18 mm	Transparent	Abc 123	LC-5TWN9
18 mm	Pastel color	Abc 123	LC-5YBP9
18 mm	Fluorescent	Abc 123	LC-5YBF9
18 mm	Strong adhesive	Abc 123	LC-5TBW9
18 mm	Fluorescent	Abc 123	LC-5GBF9
18 mm	Transparent	Abc 123	LC-5TBN9
18 mm	Reflective	Abc 123	LC-5SBR1
18 mm	Strong adhesive	Abc 123	LC-5YBW9
18 mm	Pastel color	Abc 123	LC-5RBP9
18 mm	Strong adhesive	Abc 123	LC-5WBW9
18 mm	Standard	Abc 123	LC-5WRN9
18 mm	Standard	Abc 123	LC-5WBN9
18 mm	Matte	Abc 123	LC-5SBE9
18 mm	Vivid	Abc 123	LC-5BWW9
18 mm	Glow-in-the-Dark	Abc 123	LC-5ZBU1
24 mm	Matte	Abc 123	LC-6SBE9
24 mm	Cable wrap	Abc 123	LC-6WBC9
24 mm	Transparent	Abc 123	LC-6TBN9
24 mm	Pastel color	Abc 123	LC-6RBP9
24 mm	Standard	Abc 123	LC-6WBN9
24 mm	Pastel color	Abc 123	LC-6YBP9
36 mm	Pastel color	Abc 123	LC-7YBP9
36 mm	Cable wrap	Abc 123	LC-7WBC9
36 mm	Pastel color	Abc 123	LC-7RBP9
36 mm	Standard	Abc 123	LC-7WBN9
36 mm	Transparent	Abc 123	LC-7TBN9

LOGISTICS INFORMATION

SKU	C51CD06010
EAN code	8715946534138
Dimensions Single Carton	157 x 244 x 209 mm
Carton Weight	2,18 Kg
Multiple Order Quantity	5 Units
Country of Origin	China
Pallet Size Euro	120 Units (15 x 8)

Epson Deutschland GmbH
 Otto-Hahn-Str. 4
 D-40670 Meerbusch
 Info-Line: 02159 92 79 500
 Telefax: +49 (0) 2159/538-3000
 www.epson.de

Epson in Österreich
 Info-Line: 01 253 49 78 333
 www.epson.at
 Epson in der Schweiz
 Info-Line: 022 592 7923
 www.epson.ch

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Rechteinhaber.
 Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

EPSON®