

LabelWorks LW-Z710



DATASHEET / BROCHURE



Quickly and easily create accurate labels on the go with this compact, portable and rugged label maker

Designed for those working in challenging 'non-office' environments where the user needs to quickly, accurately and cost-effectively create labels on the spot, from a rugged, compact, handheld device. The LW-Z710 boasts an intuitive interface and configures seamlessly across different users, platforms and devices.

Smartphone and tablet label maker

With its flexible connectivity options, you can either print from your computer, or download the free Epson iLabel app² to create and print labels directly from your iOS or Android device. Thanks to its Bluetooth connectivity¹, you can connect remotely anywhere without the need for a network and share the label maker with multiple users.

Easy-to-use

The user can create labels on the spot - quickly, affordably and accurately. These can easily be applied to electrical, communication cables and equipment (e.g. within server rooms, patch panels).

Fast, quality printing

Featuring 180dpi print quality, labels are crisp and clear. The LW-Z710P also offers print speeds of up to 15mm/sec.

Compact and portable

It's lightweight, easy to carry and the strong and durable design is protected by a rugged, soft silicon casing.

Battery and mains powered

It comes with a handy AC adapter or can be used with six AA batteries, so you'll always have power when you need it.

KEY FEATURES

- **Bluetooth compatible¹**
Multiple users can print
- **Productive**
Fast print speeds of up to 15mm/sec
- **Variety of label and widths**
Glow-in-the-dark, reflective and iron on tapes. Prints label widths of up to 24mm
- **Small footprint**
Lightweight and easy to carry
- **Value-for-money**
Less wastage thanks to long tapes (up to 9m and small 10mm margins)

PRODUCT SPECIFICATIONS

PRINTING

Printing technology	Thermal transfer
Tape width	4 mm, 6 mm, 9 mm, 12 mm, 18 mm, 24 mm
Printing resolution	180 DPI
Printable Dot Numbers	128 dot numbers
Print height	18 mm
Print speed	15 mm/sec
Number of printable lines	custom
Maximum text length	custom
Multi-block	custom

PRINT SETTINGS

Special formats	General, Punch Block, Patch Panel, Block-66, Wrap, Flag, Face Plate, Mix-Length
Auto increment	Yes, 0-9, a-z, A-Z, Alphabetic, Numerical, Date, Time
Enlargement printing	No
Mirror printing	Yes
Vertical printing	Yes
Barcodes	Code 128, Code 39, Data Matrix, EAN-128, EAN-13, EAN-8, GS1-128, GS1-DataBar, ITF, MaxiCode, PDF417, QR Code, UPC-A, UPC-E
Margin setting - Label Editor	1mm, Manual
Fixed Length	Yes
Setting Area	Custom

FONTS & STYLES

Fonts	Depending on user's PC
Font Size	custom
Frames	86 Frames
Tables	8 Tables
Style	Bold, Bold & Italic, Bold & Italic & Outline, Bold & Italic & Shadow, Bold & Outline, Bold & Shadow, Double line strikethrough, Italic, Italic & Outline, Italic & Shadow, Normal, Outline, Reverse video, Shadow, Shadow & Outline, Shadow & Outline & Italic, Strikethrough, Underline
Layout Alignment	Left, Right, Center, Manual, Justified
Character spacing	custom
Character width	custom

MEMORY

Memory alphanumeric	Depending on user's PC
Memory accent	Depending on user's PC
Accent learning	Yes
Symbols	466
Memory file (saved labels)	Depending on user's PC / 800 templates available
Last label	View history, Browse

HARDWARE

Cutter	Auto
Detection	Cover open, Tape width
Strap hole	Yes
Power lamp	Yes
Feed button	Yes

GENERAL

Energy Use	12 Watt (Printing), 0.8 Watt (Ready), 0.21 Watt (Power off)
AC adapter	Yes
Batteries	6 x AA, Not included
Low battery indicator	Yes
Product dimensions	54 x 132 x 146 mm (Width x Depth x Height)
Product weight	440 g
Colour	Black, Red

LabelWorks LW-Z710

WHAT'S IN THE BOX

- Installation/safety manual
- Main unit
- USB cable
- Warranty Documents
- 1 x 4m Tape
- Carrying Case
- Quick Setup Guide
- Quick Start Guide
- UK AC cable
- AC adapter
- EURO AC cable

PRODUCT SPECIFICATIONS

CONNECTIVITY

Interfaces	USB 1.1 Type B, Bluetooth
Compatible Operating Systems	Android 2.3+, Mac OS 10.6+, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows Vista, Windows Vista x64, Windows XP, iOS 5.0+, iOS 6.0+
System requirements	Approx. 100 MB HDD space
PC Display requirements	XGA (1024 x 768) or higher
Included Software	Epson Label Editor

OTHER

Warranty	36 months Carry in Optional warranty extension available
----------	---

LabelWorks LW-Z710

WHAT'S IN THE BOX

- Installation/safety manual
- Main unit
- USB cable
- Warranty Documents
- 1 x 4m Tape
- Carrying Case
- Quick Setup Guide
- Quick Start Guide
- UK AC cable
- AC adapter
- EURO AC cable

SUPPORTED CONSUMABLES

LabelWorks LW-Z710

Tape Width	Tape Series	Tape & Text (Ink Ribbon) Colour	Customer Code
4 mm	Standard	Abc 123	LK-1WBN
6 mm	Transparent	Abc 123	LK-2TBN
6 mm	Standard	Abc 123	LK-2WBN
6 mm	Pastel color	Abc 123	LK-2YBP
9 mm	Pastel color	Abc 123	LK-3YBP
9 mm	Pastel color	Abc 123	LK-3RBP
9 mm	Transparent	Abc 123	LK-3TBN
9 mm	Strong adhesive	Abc 123	LK-3YBW
9 mm	Strong adhesive	Abc 123	LK-3TBW
9 mm	Strong adhesive	Abc 123	LK-3WBW
9 mm	Standard	Abc 123	LK-3WRN
9 mm	Standard	Abc 123	LK-3WBN
12 mm	Standard	Abc 123	LK-4WLN
12 mm	Ribbon Tape	Abc 123	LK-4RKK
12 mm	Matte paper	Abc 123	LK-4WBB
12 mm	Heat Shrink Tube (HST) Tape	Abc 123	LK-4WBA5
12 mm	Fluorescent	Abc 123	LK-4GBF
12 mm	Metallic color	Abc 123	LK-4SBM
12 mm	Strong adhesive	Abc 123	LK-4WBW
12 mm	Matte	Abc 123	LK-4SBE
12 mm	Strong adhesive	Abc 123	LK-4YBW
12 mm	Strong adhesive	Abc 123	LK-4TBW
12 mm	Transparent	Abc 123	LK-4TBN
12 mm	Heat Shrink Tube (HST) Tape	Abc 123	LK-4YBA3
12 mm	Fluorescent	Abc 123	LK-4YBF
12 mm	Standard	Abc 123	LK-4WRN
12 mm	Vivid	Abc 123	LK-4BWW
12 mm	Pastel color	Abc 123	LK-4YBP
12 mm	Pastel color	Abc 123	LK-4RBP
12 mm	Standard	Abc 123	LK-4WBN
12 mm	Transparent	Abc 123	LK-4TWN
12 mm	Vinyl Label Tape	Abc 123	LK-4YBVN
12 mm	Iron-on	Abc 123	LK-4WBQ
12 mm	Vinyl Label Tape	Abc 123	LK-4WBVN
12 mm	Ribbon Tape	Abc 123	LK-4LBK
12 mm	Ribbon Tape	Abc 123	LK-4HKK
12 mm	Heat Resistant	Abc 123	LK-4WBH
12 mm	Ribbon Tape	Abc 123	LK-4PBK
12 mm	Heat Shrink Tube (HST) Tape	Abc 123	LK-4WBA3
12 mm	Ribbon Tape	Abc 123	LK-4KBK
12 mm	Heat Shrink Tube (HST) Tape	Abc 123	LK-4YBA5
18 mm	Vivid	Abc 123	LK-5BWW
18 mm	Matte	Abc 123	LK-5SBE
18 mm	Strong adhesive	Abc 123	LK-5WBW
18 mm	Transparent	Abc 123	LK-5TBN
18 mm	Standard	Abc 123	LK-5WRN
18 mm	Fluorescent	Abc 123	LK-5GBF
18 mm	Pastel color	Abc 123	LK-5YBP
18 mm	Pastel color	Abc 123	LK-5RBP
18 mm	Transparent	Abc 123	LK-5TWN
18 mm	Strong adhesive	Abc 123	LK-5YBW
18 mm	Vinyl Label Tape	Abc 123	LK-5YBVN
18 mm	Vinyl Label Tape	Abc 123	LK-5WBVN
18 mm	Standard	Abc 123	LK-5WBN
24 mm	Vinyl Label Tape	Abc 123	LK-6WBVN
24 mm	Self-Laminating Cable Wrap Label Tape	Abc 123	LK-6WBVS
24 mm	Pastel color	Abc 123	LK-6RBP
24 mm	Vinyl Label Tape	Abc 123	LK-6YBVN
24 mm	Standard	Abc 123	LK-6WBN
24 mm	Pastel color	Abc 123	LK-6YBP
24 mm	Heat Shrink Tube (HST) Tape	Abc 123	LK-6YBA14
24 mm	Heat Shrink Tube (HST) Tape	Abc 123	LK-6YBA11
24 mm	Heat Shrink Tube (HST) Tape	Abc 123	LK-6WBA14
24 mm	Heat Shrink Tube (HST) Tape	Abc 123	LK-6WBA11
24 mm	Matte	Abc 123	LK-6SBE

LOGISTICS INFORMATION

SKU	C51CD69130
EAN code	8715946655796
Dimensions Single Carton	450 x 290 x 255 mm
Carton Weight	8.24 Kg
Multiple Order Quantity	5 Units
Country of Origin	Philippines
Layer	30 Units
Layer Block	40 Units

LabelWorks LW-Z710

For more information please contact:

Home users: 0343 90 37766
Business users*: 0871 42 37766
Republic of Ireland: 01 436 7742
Or visit us at <https://www.epson.co.uk/contactus>
* 10p per minute plus network extras.

Web: www.epson.co.uk
www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.
Last extracted: 2020-01-27

1. Bluetooth connectivity only works with Android and iOS devices
- 2.
3. Download the Epson iLabel app from the Apple App Store and Google Play.

EPSON[®]